

JACKSONVILLE DISTRICT NATIONWIDE PERMITS

Summary of Applicability and Final Regional Conditions Amended June 2004

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordi - nation Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQ C STF	WQC MTIF	General Conditions	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions NOTE: U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received.
1. Aids to Navigation (10)	Navigable	NA	None	No	NA	Yes	NA	Yes	NA	No	NA	NA		1. Within the boundaries of the Florida Keys National Marine Sanctuary (FKNMS), this NWP can only be used by the FKNMS in carrying out its program initiatives. (COE) 2. Aids to navigation may not be located on tribal lands or in tribal waters without prior written approval from the Seminole Tribe of Florida. (WQC-STF)
2. Structures in Artificial Canals (10)	Artificial Canals	NA	None	No	NA	Yes	NA	Yes	NA	No	NA	NA		1. This NW is limited to installation and removal of individual, single family docks, boat lifts and seawalls at private, single-family residences. (CZM-FL) 2. Seawalls are excluded in the Florida Keys. (CZM-FL) 3. Docking facilities are authorized only in areas that have a minimum water depth of -2 feet MLW. (CZM-FL) 4. Piers in the Florida Keys are limited to single family residential "T" piers in areas with a minimum water depth of -4 feet MLW; vegetated shorelines and shallows will be avoided. (COE) 5. Marginal piers (piers located along the margin of a seawall or bulkhead) are excluded in the Florida Keys. (COE) 6. Bulkhead structures should be placed landward of all tidal fringe wetlands. (COE) 7. All dock or pier construction over submerged aquatic vegetation, marsh, and/or mangroves shall comply with the joint U.S. Army Corps of Engineers'/National Marine Fisheries Service's "Dock Construction Guidelines in Florida for Docks or Other Minor Structures Constructed in or over Submerged Aquatic Vegetation, Marsh or Mangrove Habitat - August 2001." (COE) 8. A structure may not be located on tribal lands or in tribal waters without prior written approval from the Seminole Tribe of Florida. (WQC-STF) 9. Structures are limited to private, single-family docks, riprap revetments, seawalls with riprap at the toe and vertical seawalls on lands owned by the Seminole Tribe of Florida. (WQC-STF)
3. Maintenance (10/404)	All	200 linear ft from structure; 50 cy	All except repair, replacement or rehab.	No	Yes [†]	Yes [†]	Yes	Yes	No	No	Yes	Waived	25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. Not applicable if the structure is within 100 feet of the near edge of a Federal channel in all of Florida east of the Aucilla River (Jefferson County), Puerto Rico, and the U.S. Virgin Islands). (COE) 2. Not applicable if the structure is within 100 feet of the near edge of the Gulf Intracoastal Waterway and 75 feet from the near edge of all other Federal channel projects in northwest Florida west of the Aucilla River (Jefferson County). (COE) 3. Corps-only PCN required prior to start of any work in the Florida Keys. (COE) 4. In the Jacksonville District, this NWP is excluded in areas with submerged aquatic vegetation, tidal wetlands, and/or coral reefs. It is also excluded from non-tidal wetlands adjacent to tidal waters if the proposed activity would have an adverse impact on essential fish habitat. (COE) 5. For the discharge of any fill in the Coastal Zone of Puerto Rico and the U.S. Virgin Islands, and in the areas listed in notes ¹ and ² below, (except for work proposed in La Paguera area and Culebra Island), the permittee must notify the District Engineer in accordance with the "notification" general condition. The PCN must include plans and/or drawings, detailed description of work to be performed and description of all waters of the United States impacted by the project, delineation of

STF: Seminole Tribe of Florida
NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
NAJ: Not Applicable in the Jacksonville District

[†] Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability
and
Final Regional Conditions
Amended June 2004

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordi - nation Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQ C STF	WQC MTIF	General Conditions	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions NOTE: U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received.
														<p>the special aquatic site, including wetlands. The PCN must contain a brief discussion of how the proposed project will comply with Nationwide General Conditions 4, 11, 12, 21 and 26.</p> <p>6. For all work in La Paguera area and Culebra Island, a PCN is also required but must include the following information: a) detailed description of the proposed repairs, b) plan view and cross sectional drawings of the existing structure, c) photographs of the existing structure (all elevations), d) a declaration stating whether the structure is being rebuilt or repaired, e) state the existing purpose or use of the structure, f) a statement from the owner of the structure certifying that the structure will not be expanded beyond its approved footprint, g) the PCN must contain a brief discussion of how the proposed project will comply with Nationwide General Conditions 1, 11 and 12, h). Reconstruction of existing structures within La Paguera will not be allowed under this nationwide permit. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA), and the JPA form must clearly indicate that it is a PCN. (COE)</p> <p>7. In Florida any structure replaced or repaired in accordance with an emergency order issued by the Governor of Florida or the Secretary of the Department of Environmental Protection is subject to full compliance with the terms of the order. (WQC/CZM-FL)</p> <p>8. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)</p> <p>9. In Florida, not applicable to maintenance activities located seaward of the coastal construction control line and along ocean inlet shorelines. (CZM-FL)</p>
4. Fish and Wildlife Harvesting, Harvesting, Enhancement, and Attraction Devices and Activities (10/404)	All	None	None	No	Yes [‡]	Yes [‡]	Waived	Yes	No	No	No	Waived		<p>1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)</p> <p>2. Dredging of sediments is not authorized (except as outlined in Condition 1), except for harvesting of crabs, sand dollars, sea urchins and similar invertebrates by properly accredited scientific researchers and private individuals not engaged in commercial activities. (WQC/CZM-FL)</p> <p>3. Placement of materials for Live Rock culture, and the harvesting of Live Rock is excluded from this nationwide. (COE)</p>
5. Scientific Measurement Devices (10/404)	All	25cy flow rate for weirs & flumes	10-25 cy	No	Yes [‡]	Yes [‡]	Waived	Yes	No	No	Yes	Waived		<p>1. The maximum size of the measurement device and associated structures shall not exceed 1000 sq. feet, and the structure shall be used exclusively for purposes associated with scientific measurement. (WQC/CZM-FL)</p> <p>2. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)</p> <p>3. A structure may not be located on tribal lands or in tribal waters without prior written approval from the Seminole Tribe of Florida. (WQC-STF)</p>

STF: Seminole Tribe of Florida
NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
NAJ: Not Applicable in the Jacksonville District

[‡] Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability
and
Final Regional Conditions
Amended June 2004

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordi- nation Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQ C STF	WQC MTIF	General Conditions	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions NOTE: U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received.
6. Survey Activities (10/404)	All	None	None	No	Yes ^Φ	Yes ^Φ	Waived	Yes	No	No	Yes	Waived		1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL) 2. Seismic exploratory devices are not authorized within the limits of the Everglades as defined in Florida Statutes Section 403.031(13)(a) and (b); Big Cypress and Water Conservation Areas 1, 2A, 2B, 3 and 3A. (WQC/CZM-FL) 3. Activities shall be performed in accordance with a permit from DEP's Bureau of Geology. (WQC/CZM-FL) 4. No survey activity may be located on tribal lands or in tribal waters without prior written approval from the Seminole Tribe of Florida. (WQC-STF) 5. Seismic exploratory activities on lands owned by the Seminole Tribe of Florida are not authorized by this permit. (WQC-STF) 6. Survey activities using ground penetrating radar or isotope technology are not authorized on lands of the Seminole Tribe of Florida. (WQC-STF)
7. Outfall Structures and Maintenance (10/404)	All	Limited to original configurati on.	All activities	If over ½ acre of Wat US will be lost	Yes ^Φ	Yes ^Φ	No	Yes	No	No	Yes	Waived	13.(b) PCN must include: delineation of affected special aquatic sites, wetlands, vegetated shallows, & riffle/pool complexes; original design capacity/configuration of proposed maintenance dredging/excavation areas. 25. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	1. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. The PCN must contain plans and drawings and a brief discussion of how the proposed project will comply with Nationwide General Conditions 4, 11, 12, 21 and 26. (COE) 2. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from areas with coral reefs, forested wetlands, salt flats, and/or submerged aquatic or tidal vegetation. (COE) 3. In Florida, this NWP is excluded in areas with submerged aquatic vegetation, tidal wetlands, and/or coral reefs. It is also excluded from non-tidal wetlands adjacent to tidal waters if the proposed activity would have an adverse impact on essential fish habitat. (COE) 4. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)
8. Oil and Gas Structures (10)	Navigable	None	None	No	NA	No	NA	Yes	NA	No	NA	NA	25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	None
9. Structures in Fleeting and Anchorage Areas (10)	Areas established by the US Coast Guard	None	None	No	NA	Yes ^Φ	NA	Yes	NA	No	NA	NA		1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated CZCC. (CZM-FL) 2. A structure may not be located on tribal lands or in tribal waters without prior written approval from the Seminole Tribe of Florida. (WQC-STF)
10. Mooring Buoys (10)	Navigable	None	None	No	NA	Yes ^Φ	NA	Yes	NA	No	NA	NA	25. Activities in Designated Critical Resource Waters ³ and/or their adjacent	1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or

STF: Seminole Tribe of Florida
NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
NAJ: Not Applicable in the Jacksonville District

^Φ Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability
and
Final Regional Conditions
Amended June 2004

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordi - nation Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQ C STF	WQC MTIF	General Conditions	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions
													wetlands require notification.	<p>NOTE: U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received.</p> <p>a local government with delegated authority under s. 373.441, F.S. and receive Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated CZCC. (CZM-FL)</p> <p>2. Buoys shall not be authorized where the surrounding area is located over corals or submerged aquatic macrovegetation, including attached macroalgal communities. (CZM-FL)</p> <p>3. Buoys shall be established where minimum water depths are a minimum of -5 feet MLW (or -5 feet below mean annual low water in non-tidal areas. (CZM-FL)</p>
11. Temporary Recreational Structures (10)	Navigable	None	None	No	NA	Yes ^Φ	NA	Yes	NA	No	NA	NA		1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated CZCC. (CZM-FL)
12. Utility Line Activities (10/404)	Non-tidal, excluding all wetlands adjacent to tidal waters (substation s, access roads); all waters (other activities)	½ acre (substns); minimum for foundations; ½ acre access roads	1/10 acre (substns); >500 linear feet of above-grade access road; impervious roads; §10; MLC in a forested wetland; permanent roads	If over ½ acre of Wat US will be lost.	Yes ^Φ	Yes ^Φ	Yes	Yes	No	No	Yes	Waived	9.(b) Water Quality Management Plan elements required. 13.(b)(4) PCN must include delineation of affected special aquatic sites, wetlands, vegetated shallows, & riffle/pool complexes; 25. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	<p>1. In Florida, this NWP is excluded in areas with submerged aquatic vegetation, tidal wetlands, and/or coral reefs. It is also excluded from non-tidal wetlands adjacent to tidal waters if the proposed activity would have an adverse impact on essential fish habitat. (COE)</p> <p>2. Corps-only PCN for water intakes in Puerto Rico. The PCN must include plans and drawings, a description of all waters of the United States impacted by the project, amount of water to be withdrawn in MGDs, minimum instream flows in MGDs after water extraction, Q99, and a delineation of the special aquatic site including wetlands. The PCN must also contain a brief discussion of how the project will comply with Nationwide General Conditions 4, 11, 12, 21, and 26.</p> <p>All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE)</p> <p>3. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded in areas with forested wetlands, submerged aquatic vegetation, tidal wetlands, and/or coral reefs. (COE)</p> <p>4. In the Florida panhandle, this NWP is excluded from the following rivers, creeks, and their tributaries: Chipola River, Apalachicola River, Ochlockonee River, and Econfinia Creek. (COE)</p> <p>5. Corps-only PCN required prior to the start of any activity within the Florida panther consultation area. (COE)</p> <p>6. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)</p>
13. Bank Stabilization (10/404)	Restricted from special aquatic sites	None	500 ft length; 1cy/ft below OHWM	If over ½ acre of Wat US will be lost	Yes ^Φ	Yes ^Φ	Yes	Yes	No	No	Yes	Waived	25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	<p>1. WQC/CZM and CZM is approved for construction of seawalls and riprap in artificial canals, except that vertical seawalls cannot be constructed in canals connected to estuaries or lagoons where there is not already existing seawalls. (WQC/CZM-FL)</p> <p>2. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)</p>

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability
and
Final Regional Conditions
Amended June 2004

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordi - nation Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQ C STF	WQC MTIF	General Conditions	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions
														NOTE: U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received.
														3. Corps-only PCN required prior to start of any work in the Florida Keys, and the NWP can only be used in existing canal systems of platted subdivisions. (COE) 4. Excluded from areas with submerged aquatic vegetation, tidal wetlands, and/or coral reefs. It is also excluded from non-tidal wetlands adjacent to tidal waters if the proposed activity would have an adverse impact on essential fish habitat. (COE) 5. In Puerto Rico and the U.S. Virgin Islands, the permittee must notify the District Engineer in accordance with the "Notification" general condition and include a delineation of affected special aquatic sites, including wetlands. The PCN must also contain a brief discussion of how the project will comply with Nationwide General Conditions 4, 11, 12, 21, and 26. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE) 6. Not applicable if the structure is within 100 feet of the near edge of a Federal channel in all of Florida east of the Aucilla River (Jefferson County), Puerto Rico, and the U.S. Virgin Islands). (COE) 7. Not applicable if the structure is within 100 feet of the near edge of the Gulf Intracoastal Waterway and 75 feet from the near edge of all other Federal channel projects in northwest Florida west of the Aucilla River (Jefferson County). (COE) 8. In the Florida panhandle, this NWP is excluded from the following rivers, creeks, and their tributaries: Chipola River, Apalachicola River, Ochlockonee River, and Econfinia Creek. (COE)
14. Linear Transportation Projects (10/404)	Non-tidal waters	½ acre	1/10 acre; discharges into special aquatic sites	If over ½ acre of Wat US will be lost	Yes [‡]	Yes [‡]	Yes	Yes	No	No	Yes	Waived	9.(b) Water Quality Management Plan elements required. 13.(b) PCN must include: delineation of affected special aquatic sites, wetlands, vegetated shallows, & riffle/pool complexes; mitigation proposal & minimization statement; 25. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	1. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from areas with forested wetlands, submerged aquatic vegetation, tidal wetlands, and/or coral reefs. It is also excluded from non-tidal wetlands adjacent to waters if the proposed activity would have an adverse impact on essential fish habitat. (COE) 2. If a PCN is required, all PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. PCN must include plans and/or drawings, detailed description of work to be performed and description of the waters of the United States to be impacted by the project, delineation of the special aquatic site including wetlands. The PCN must also contain a brief discussion of how the project will comply with Nationwide General Conditions 4, 11, 12, 21, and 26. (COE) 3. Excluded in the Belle Meade area of Florida bounded by I-75 to the south and Golden Gate canal to the west. (COE) 4. Excluded in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP does apply up to the 1/2 acre limit in all wetlands within Golden Gates Estates north of Alligator Alley. (COE) 5 In Florida, this NWP is excluded in areas with submerged aquatic vegetation, tidal wetlands, and/or coral reefs. It is also excluded from non-tidal wetlands adjacent to tidal waters if the proposed activity would have an adverse impact on essential fish habitat. (COE) 6. Corps-only PCN required prior to the start of any activity within the Florida panther consultation area. (COE) 7. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)
	Tidal Waters	1/3 acre												

STF: Seminole Tribe of Florida
NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
NAJ: Not Applicable in the Jacksonville District

[‡] Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability
and
Final Regional Conditions
Amended June 2004

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordi - nation Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQ C STF	WQC MTIF	General Conditions	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions
15. U.S. Coast Guard Approved Bridges (404)	All	None	None	No	Yes ^Φ	Yes ^Φ	No	Yes	No	No	Yes	Waived	25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	<p>1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)</p> <p>2. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from areas with forested wetlands, submerged aquatic vegetation, tidal vegetation, and/or coral reefs. It is also excluded from non-tidal wetlands adjacent to waters if the proposed activity would have an adverse impact on essential fish habitat. (COE)</p>
16. Return Water from Upland Contained Disposal Areas (404)	All	None	None	No	Yes ^Φ	Yes ^Φ	No	Yes	No	No	No	Waived	25. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	<p>1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)</p> <p>2. In the Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from areas with forested wetlands, submerged aquatic vegetation, tidal vegetation, and/or coral reefs. It is also excluded from non-tidal wetlands adjacent to waters if the proposed activity would have an adverse impact on essential fish habitat. (COE)</p>
17. Hydropower Projects (404)	existing reservoirs, project licensed by FERC	total generating capacity < 5000KW	All	If over ½ acre of Wat US will be lost	Yes ^Φ	Yes ^Φ	No	Yes	No	No	Yes	Waived	9.(b) Water Quality Management Plan elements required. 25. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	<p>1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)</p> <p>2. The amount of fill or dredging is limited to no more than 0.25 acres; in no case shall dredging or filling be used to cause the impoundment or diversion of waters within STF jurisdiction. (WQC-STF)</p>
	Project w/ FERC exemption	None												
18. Minor Discharges (10/404)	All	25 cy below OHWM; 1/10 acre	10 cy below OHWM; any fill in special aquatic site	If over ½ acre of Wat US will be lost	Yes ^Φ	Yes ^Φ	Yes	Yes	No	No	Yes	Waived	<p>9.(b) Water Quality Management Plan elements required.</p> <p>13.(b)(4) PCN must include delineation of affected special aquatic sites, wetlands, vegetated shallows, & riffle/pool complexes.</p> <p>25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.</p>	<p>1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)</p> <p>2. This nationwide permit is not applicable in the Florida Keys (COE)</p> <p>3. In Puerto Rico and the U.S. Virgin Islands, for the areas listed in Notes ¹ and ², the permittee must notify the District Engineer in accordance with the "Notification" general condition and include a delineation of affected special aquatic sites, including wetlands. The PCN must also contain a brief discussion of how the project will comply with Nationwide General Conditions 4, 11, 12, 21, and 26. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE)</p> <p>4. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded in areas with forested wetlands, submerged aquatic vegetation, tidal wetlands, and/or coral reefs. It is also excluded from non-tidal wetlands adjacent to waters if the proposed activity would have an adverse impact on</p>

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability
and
Final Regional Conditions
Amended June 2004

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordi- nation Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQ C STF	WQC MTIF	General Conditions	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions NOTE: U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received.
														essential fish habitat. (COE) 5. In Florida, this NWP is excluded in areas with submerged aquatic vegetation, tidal wetlands, and/or coral reefs. It is also excluded from non-tidal wetlands adjacent to tidal waters if the proposed activity would have an adverse impact on essential fish habitat. (COE)
19. Minor Dredging (10/404)	Navigable	25 cy below OHWM / MHWM	None	No	Yes ^Φ	Yes ^Φ	Yes	Yes	No	No	Yes	Waived	25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL) 2. This nationwide permit is not applicable in the Florida Keys. (COE) 3. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded in areas with forested wetlands, submerged aquatic vegetation, tidal wetlands, and/or coral reefs. It is also excluded from non-tidal wetlands adjacent to tidal waters if the proposed activity would have an adverse impact on essential fish habitat. (COE) 4 In Florida, this NWP is excluded in areas with submerged aquatic vegetation, tidal wetlands, and/or coral reefs. It is also excluded from non-tidal wetlands adjacent to tidal waters if the proposed activity would have an adverse impact on essential fish habitat. (COE)
20. Oil Spill Cleanup (10/404)	All	None	None	No	Yes	Yes	Waived	Yes	No	No	Yes	Waived		1. Activities authorized under this NWP shall be conducted in conformance with the National Response Team Integrated Contingency Plan Guidance, available at 1-800-424-9346. (WQC/CZM-FL)
21. Surface Coal Mining Activities (10/404)	All	None	All	If over ½ acre of Wat US will be lost	NAJ	NAJ	No	Yes	No	No	Yes	Waived	13.(b) PCN must include delineation of affected special aquatic sites, wetlands, vegetated shallows, & riffle/pool complexes; OSM- or State-approved mitigation plan. 25. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	None
22. Removal of Vessels (10/404)	All	None	vessels listed/eligibl e for NRHP	No	Yes ^Φ	Yes ^Φ	Yes	Yes	No	No	Yes	Waived	25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL) 2. Not applicable to treasure salvaging. (WQC/CZM-FL) 3. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded in areas with forested wetlands, submerged aquatic vegetation, tidal wetlands, and/or coral reefs. It is also excluded from non-tidal wetlands adjacent to tidal waters if the proposed activity would have an adverse impact on essential fish habitat. (COE)
23. Approved Categorical Exclusions (10/404)	All	None	None	No	Yes ^Φ	Yes ^Φ	Yes	Yes	No	No	Yes	Waived	25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well

STF: Seminole Tribe of Florida
NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
NAJ: Not Applicable in the Jacksonville District

^Φ Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability
and
Final Regional Conditions
Amended June 2004

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordi- nation Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQ C STF	WQC MTIF	General Conditions	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions NOTE: U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received.
														as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)
24. State Administered Section 404 Programs (10)	All	None	None	No	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ		None
25. Structural Discharges (404)	All	None	None	No	Yes ^Φ	Yes ^Φ	No	Yes	No	No	Yes	Waived	25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)
27. Stream and Wetland Restoration Activities (10/404)	All	None	Non-federal public or private land (no agreement)	If over ½ acre of Wat US will be lost	Yes ^Φ	Yes ^Φ	Yes	Yes	No	No	No	Waived	13.(b)(8) PCN must include documentation of prior condition to be reverted to. 25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL) 2. Corps-only PCN for all activities in Puerto Rico. The PCN must include plans and drawings, a description of all waters of the United States impacted by the project, and delineation of the special aquatic site including wetlands. The PCN must also contain a brief discussion of how the project will comply with Nationwide General Conditions 4, 11, 12, 21, and 26. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE)
28. Modifications of Existing Marinas (10)	Navigable	None	None	No	NA	Yes ^Φ	NA	Yes	NA	No	NA	NA	25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated CZCC. (CZM-FL)
29. Single-Family Housing (10/404)	Non-tidal only	¼ acre	All	NA	No	No	No	No	No	No	Yes	Waived	13.(b)(9) PCN must include: past use of this NWP; statement that housing is for a personal residence of applicant; parcel description & size; wetland delineation (sites over ¼ acre); description of any land applicant has an legal interest in w/in 1 mile of project site; 25. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	1. Any fill authorized under this NWP in wetlands adjacent to tidal waters or flowing channelized or unchannelized streams must be at least 200 feet landward of the high tide line (ordinary high water line for non-tidal waters). (COE) 2. This NWP does not apply to activities in wetlands and other waters of the U.S. within the following areas: a. Golden Gate Estates, south of Alligator Alley in Collier County. This NWP does apply up to the 1/4 acre limit in all wetlands within Golden Gates Estates north of Alligator Alley. (COE) b. Belle Meade area bounded by I-75 to the south and Golden Gate Canal to the west in Collier County, FL. (COE) c. The Florida Keys. (COE)
30. Moist Soil Management for Wildlife (404)	Federal or State owned/man aged property	None	None	No	Yes ^Φ	Yes ^Φ	Yes	Yes	No	No	Yes	Waived	25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as

STF: Seminole Tribe of Florida
NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
NAJ: Not Applicable in the Jacksonville District

^Φ Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability
and
Final Regional Conditions
Amended June 2004

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordi - nation Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQ C STF	WQC MTIF	General Conditions	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions
														<p>NOTE: U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received.</p>
31. Maintenance of Existing Flood Control Facilities (10/404)	All	Projects previously permitted by, or built by the Corps.	All; requires Maintenance Baseline Determination	If over ½ acre of Wat US will be lost	Yes ^Φ	Yes ^Φ	No	Yes	No	No	Yes	Waived	13.(b)(10) PCN must include: channel depths, configurations, & existing facilities; delineation of affected special aquatic sites, incl. wetlands; location of dredged material disposal site. 5 yr maintenance plan ok in lieu of PCN for every activity. 25. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	<p>part of the associated WQC or CZCC. (WQC/CZM-FL)</p> <p>1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)</p>
32. Completed Enforcement Actions (10/404)	All	5 acres (nontidal); 1 acre (tidal)	NA	No	Yes ^Φ	Yes ^Φ	No	Yes	No	No	Yes	Waived	9.(b) Water Quality Management Plan elements required.	<p>1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)</p>
33. Temporary Construction, Access and Dewatering (10/404)	All	None	All	If over ½ acre of Wat US will be lost	Yes ^Φ	Yes ^Φ	No	Yes	No	No	Yes	Waived	13.(b)(11) PCN must include a restoration plan to avoid & minimize adverse effects. 25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	<p>1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)</p> <p>2. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded in areas with forested wetlands, submerged aquatic vegetation, tidal wetlands, and/or coral reefs. It is also excluded from non-tidal wetlands adjacent to tidal waters if the proposed activity would have an adverse impact on essential fish habitat. (COE)</p>
34. Cranberry Production Activities (404)	All	10 acres	All	If over ½ acre of Wat US will be lost	NAJ	NAJ	Yes	Yes	No	No	Yes	Waived	13.(b)(4) PCN must include delineation of affected special aquatic sites, wetlands, vegetated shallows, & riffle/pool complexes. 25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	None
35. Maintenance Dredging of Existing Basins (10)	Navigable	None	None	No	NA	Yes ^Φ	NA	Yes	NA	No	NA	NA	25. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	<p>1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated CZCC. (CZM-FL)</p> <p>2. This nationwide permit is not applicable in the Florida Keys, Puerto Rico and/or the U.S. Virgin Islands. (COE)</p> <p>3. Excluded in areas with coral reefs, submerged aquatic vegetation and/or tidal wetlands. (COE)</p> <p>4. On lands of the Seminole Tribes of Florida the following conditions will apply: (a) Dredging authorized by this nationwide permit will not exceed the originally excavated depth.</p>

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability
and
Final Regional Conditions
Amended June 2004

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordi - nation Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQ C STF	WQC MTIF	General Conditions	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions NOTE: U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received.
														(WQC-STF) (b) This permit does not authorize the removal of plugs or connections of any canal to navigable waters of the U.S. (WQC-STF) (c) Documentation shall be provided showing the originally authorized depth. (WQC-STF) (d) Any spoil material shall be disposed of in self-contained upland spoil sites in such a manner that it will be totally contained in the uplands without discharge. (WQC-STF)
36. Boat Ramps (10/404)	All except special aquatic sites	50 cy; 20 ft width for boat ramp	None	No	Yes ^Φ	Yes ^Φ	No	Yes	No	No	Yes	Waived	25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL) 2. This permit is excluded from use in Puerto Rico and the U.S. Virgin Islands. (COE) 3. All projects in the Florida Keys are excluded. (COE) 4. No boat ramps may be constructed on tribal lands or in tribal waters without prior written approval of the STF. (WQC-STF)
37. Emergency Watershed Protection and Rehabilitation (10/404)	All	NRCS, USFS, or DOI only	All	If over ½ acre of Wat US will be lost	Yes ^Φ	Yes ^Φ	Waived	Yes	No	No	Yes	Waived	25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)
38. Cleanup of Hazardous and Toxic Waste (10/404)	All	None	All	If over ½ acre of Wat US will be lost	Yes ^Φ	Yes ^Φ	Waived	Yes	No	No	Yes	Waived	13.(b)(4) PCN must include delineation of affected special aquatic sites, wetlands, vegetated shallows, & riffle/pool complexes. 25. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, except for activities authorized within a designated Superfund site under section 121(e) of CERCLA, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)
39. Residential, Commercial, and Institutional Developments (10/404)	Non-tidal, excluding all wetlands adjacent to tidal waters	½ acre; 300 linear feet of stream bed	1/10 acre; all below OHWM; 300 linear feet of stream bed	If over ½ acre of Wat US will be lost	Yes ^Φ	Yes ^Φ	No	Yes	No	No	Yes	Waived	9.(b) Water Quality Management Plan elements required. 13.(b) PCN must include delineation of affected special aquatic sites, wetlands, vegetated shallows, & riffle/pool complexes; explanation of how minimization & avoidance were achieved; mitigation proposal or explanation of why mitigation is not required; 25. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands. 26. In the 100-year floodplain, permanent, above-grade fill is not authorized below headwaters or in the floodway above the headwaters.	1. For all activities under this NWP (in wetlands and ephemeral, intermittent and perennial streams) in Puerto Rico and the U.S. Virgin Islands, the permittee must notify the District Engineer in accordance with the "notification" general condition. The PCN must contain plans and drawings, and must also contain a brief discussion of how the proposed project will comply with Nationwide General Conditions 4, 11, 12, 21, and 26. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE) 2. Fill in wetlands contiguous to flowing channelized or unchannelized streams must be at least 200 feet landward of the ordinary high water line. (COE) 3. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL) 4. Excluded for projects south of CSX Railroad at Garcon Point, Santa Rosa County. (WQC/CZM-FL)

STF: Seminole Tribe of Florida
NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
NAJ: Not Applicable in the Jacksonville District

^Φ Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability
and
Final Regional Conditions
Amended June 2004

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordi - nation Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQ C STF	WQC MTIF	General Conditions	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions
														<p>NOTE: U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received.</p> <p>5. Excluded in wetlands of the Gulf Breeze Peninsula from Gulf Islands National Seashore to Hurlburt Field. (WQC/CZM-FL)</p> <p>6. Excluded in wetlands of southwest Escambia County. south of Nine Mile Road and west of I-110. (WQC/CZM-FL)</p> <p>7. Excluded in wetlands south of S.R. 20, and wetlands north of S.R. 20 east of Hwy. 81 in Walton County. (WQC/CZM-FL)</p> <p>8. Excluded in wetlands of Bay County, from 15th Street North to North Bay Bridge, and from Highway 2327 west to Hathaway Bridge. (WQC/CZM-FL)</p> <p>9. Corps-only PCN in wetlands adjacent to Deerpoint Lake and its tributaries, Bay County, FL. (COE)</p> <p>10. Excluded in the following waters of the St. Johns River Water Management District:</p> <p style="padding-left: 20px;">a. Wekiva Basin: The Wekiva River, Little Wekiva River north of S.R. 434, Rock Springs Run, Black Water Creek, Sulphur Creek or Seminole Creek, including the wetlands abutting these waterways, all in Orange, Seminole and Lake Counties. (WQC/CZM-FL)</p> <p style="padding-left: 20px;">b. Econlockhatchee Basin: The Econlockhatchee River, Little Econlockhatchee River north of University Boulevard, Mills Creek, Silcox Branch, Mills Branch, Long Branch, Hart Branch, Cowpen Branch, Green Branch, Turkey Creek, Little Creek and Fourmile Creek, including all of the wetlands contiguous to these waterways, all in Osceola, Orange and Seminole Counties. (WQC/CZM-FL)</p> <p style="padding-left: 20px;">c. Tomoka River/Spruce Creek: The Tomoka River, Little Tomoka River, Spruce Creek, and Priest Branch, including wetlands abutting these waterways, all in Volusia and Flagler Counties. (WQC/CZM-FL)</p> <p>11. This nationwide permit is not applicable in the Florida Keys. (COE)</p> <p>12. Excluded in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP does apply up to the 1/2 acre limit in all wetlands within Golden Gates Estates north of Alligator Alley. (COE)</p> <p>13. Excluded in the Belle Meade area bounded by I-75 to the south and Golden Gate Canal to the west. (COE)</p> <p>14. Corps-only PCN required prior to the start of any activity within the Florida panther consultation area. (COE)</p>
40. Agricultural Activities (404)	Non-tidal, excluding all wetlands adjacent to tidal waters	½ acre; 300 linear feet of stream bed	1/10 acre (activities not reviewed by NRCS); all farm buildings	If over ½ acre of Wat US will be lost	Yes ^Φ	Yes ^Φ	Yes	Yes	No	No	Yes	Waived	<p>9.(b) Water Quality Management Plan elements required.</p> <p>13.(b)(4) PCN must include delineation of affected special aquatic sites, wetlands, vegetated shallows, & riffle/pool complexes; a mitigation proposal;</p> <p>25. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.</p> <p>26. In the 100-year floodplain, permanent, above-grade fill is not authorized below headwaters or in the floodway above the headwaters.</p>	<p>1. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)</p> <p>2. For all activities under this NWP in Puerto Rico and the U.S. Virgin Islands, the permittee must notify the District Engineer in accordance with the "notification" general condition. The PCN must contain plans and drawings, and must also contain a brief discussion of how the proposed project will comply with Nationwide General Conditions 4, 11, 12, 21, and 26. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE)</p> <p>3. This nationwide permit is not applicable in the Florida Keys. (COE)</p> <p>4. Corps-only PCN required prior to the start of any activity within the Florida panther consultation area. (COE)</p>

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability
and
Final Regional Conditions
Amended June 2004

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordi - nation Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQ C STF	WQC MTIF	General Conditions	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions NOTE: U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received.
41. Reshaping Existing Drainage Ditches (404)	Non-tidal, excluding all wetlands adjacent to tidal waters	minimum necessary	sidecast into Wat US; reshaping >500 linear ft	If over ½ acre of Wat US will be lost	Yes ^Φ	Yes ^Φ	No	Yes	No	No	Yes	Waived	13.(b)(4) PCN must include delineation of affected special aquatic sites, wetlands, vegetated shallows, & riffle/pool complexes.	1. Corps-only PCN required prior to the start of any activity. (COE) 2. In Puerto Rico, the PCN must contain plans and drawings, a description of all waters of the United States impacted by the project, delineation of the special aquatic site including wetlands. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE) 3. In Florida, the PCN shall include a sediment and erosion control plan. (COE) 4. No change in the rate or volume of water discharged from the site from pre-construction conditions is authorized. (WQC/CZM-FL) 5. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL) 6. Excluded in the following waters of the St. Johns River Water Management District: a. Wekiva Basin: The Wekiva River, Little Wekiva River north of S.R. 434, Rock Springs Run, Black Water Creek, Sulphur Creek or Seminole Creek, including the wetlands abutting these waterways, all in Orange, Seminole and Lake Counties. (WQC/CZM-FL) b. Econlockhatchee Basin: The Econlockhatchee River, Little Econlockhatchee River north of University Boulevard, Mills Creek, Silcox Branch, Mills Branch, Long Branch, Hart Branch, Cowpen Branch, Green Branch, Turkey Creek, Little Creek and Fourmile Creek, including all of the wetlands contiguous to these waterways, all in Osceola, Orange and Seminole Counties. (WQC/CZM-FL) c. Tomoka River/Spruce Creek: The Tomoka River, Little Tomoka River, Spruce Creek, and Priest Branch, including wetlands abutting these waterways, all in Volusia and Flagler Counties. (WQC/CZM-FL) 7. Not applicable in the Florida Keys. (COE) 8. Excluded in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP does apply up to the 1/2 acre limit in all wetlands within Golden Gates Estates north of Alligator Alley. (COE) 9. Excluded in the Belle Meade area bounded by I-75 to the south and Golden Gate canal to the west. (COE)
42. Recreational Facilities (404)	Non-tidal, excluding all wetlands adjacent to tidal waters	½ acre; 300 linear feet of stream bed	1/10 acre; 300 linear feet of stream bed	If over ½ acre of Wat US will be lost	Yes ^Φ	Yes ^Φ	No	Yes	No	No	Yes	Waived	9.(b) Water Quality Management Plan elements required. 13.(b)(4) PCN must include delineation of affected special aquatic sites, wetlands, vegetated shallows, & riffle/pool complexes; mitigation proposal or explanation of why mitigation is not required; 25. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands. 26. In the 100-year floodplain, permanent, above-grade fill is not	1. For all activities under this NWP in Puerto Rico and the U.S. Virgin Islands, the permittee must notify the District Engineer in accordance with the "notification" general condition. The PCN must contain plans and drawings, and must also contain a brief discussion of how the proposed project will comply with Nationwide General Conditions 4, 11, 12, 21, and 26. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application and the JPA form must clearly indicate that it is a PCN. (COE) 2. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL) 3. Auditoriums, parking areas, and other buildings and impervious pavement/parking/roadway

STF: Seminole Tribe of Florida
NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
NAJ: Not Applicable in the Jacksonville District

^Φ Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability
and
Final Regional Conditions
Amended June 2004

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordi - nation Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQ C STF	WQC MTIF	General Conditions	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions NOTE: U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received.
													authorized below headwaters or in the floodway above the headwaters.	surfaces of greater than 4,000 square feet, and golf courses of any size are specifically not authorized in Florida. (WQC/CZM-FL) 4. Excluded in wetlands of Garcon Point, south of the CSX railroad in Santa Rosa County. (WQC/CZM-FL) 5. Excluded in wetlands of southwest Escambia County. South of Nine Mile Road and west of I-110. (WQC/CZM-FL) 6. Excluded in wetlands south of S.R. 20, and wetlands north of S.R. 20 east of Hwy. 81 in Walton County. (WQC/CZM-FL) 7. Excluded in wetlands of Bay County, from 15 th Street North to North Bay Bridge, and from Highway 2327 west to Hathaway Bridge. (WQC/CZM-FL) 8. Excluded in wetlands of the Gulf Breeze peninsula from Gulf Islands National Seashore eastward to Hurlburt Field. (WQC/CZM-FL) 9. Corps-only PCN in wetlands adjacent to Deerpoint Lake and its tributaries, Bay County, FL. (COE) 10. Excluded in the following waters of the St. Johns River Water Management District: a. Wekiva Basin: The Wekiva River, Little Wekiva River north of S.R. 434, Rock Springs Run, Black Water Creek, Sulphur Creek or Seminole Creek, including the wetlands abutting these waterways, all in Orange, Seminole and Lake Counties. (WQC/CZM-FL) b. Econlockhatchee Basin: The Econlockhatchee River, Little Econlockhatchee River north of University Boulevard, Mills Creek, Silcox Branch, Mills Branch, Long Branch, Hart Branch, Cowpen Branch, Green Branch, Turkey Creek, Little Creek and Fourmile Creek, including all of the wetlands contiguous to these waterways, all in Osceola, Orange and Seminole Counties. (WQC/CZM-FL) c. Tomoka River/Spruce Creek: The Tomoka River, Little Tomoka River, Spruce Creek, and Priest Branch, including wetlands abutting these waterways, all in Volusia and Flagler Counties. (WQC/CZM-FL) 11. This nationwide permit is not applicable in the Florida Keys. (COE) 12. Excluded in the Belle Meade area bounded by I-75 to the south and Golden Gate Canal to the west. (COE) 13. Excluded in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP does apply up to the 1/2 acre limit in all wetlands within Golden Gates Estates north of Alligator Alley. (COE)
43. Stormwater Management Facilities (404)	Non-tidal, excluding wetlands adjacent to tidal waters	½ acre; 300 linear feet of stream bed	1/10 acre; 300 linear feet of stream bed	If over ½ acre of Wat US will be lost	Yes ^Φ	Yes ^Φ	No	Yes	No	No	Yes	Waived	9.(b) Water Quality Management Plan elements required. 13.(b) PCN must include delineation of affected special aquatic sites, wetlands, vegetated shallows, & riffle/pool complexes; explanation of how minimization & avoidance were achieved; a maintenance plan for new stormwater facilities and a mitigation plan; 25. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands. 26. In the 100-year floodplain, permanent, above-grade fill is not authorized below the headwaters.	1. For all activities under this NWP in Puerto Rico and the U.S. Virgin Islands, the permittee must notify the District Engineer in accordance with the "notification" general condition. The PCN must contain plans and drawings, and must also contain a brief discussion of how the proposed project will comply with Nationwide General Conditions 4, 11, 12, 21, and 26. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE) 2. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL) 3. Corps-only PCN in wetlands adjacent to Deerpoint Lake and its tributaries, Bay County, FL. (COE) 4. Excluded in the following waters of the St. Johns River Water Management District:

STF: Seminole Tribe of Florida
NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
NAJ: Not Applicable in the Jacksonville District

^Φ Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability
and
Final Regional Conditions
Amended June 2004

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordi - nation Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQ C STF	WQC MTIF	General Conditions	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions
														<p>NOTE: U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received.</p> <p>a. Wekiva Basin: The Wekiva River, Little Wekiva River north of S.R. 434, Rock Springs Run, Black Water Creek, Sulphur Creek or Seminole Creek, including the wetlands abutting these waterways, all in Orange, Seminole and Lake Counties. (WQC/CZM-FL)</p> <p>b. Econlockhatchee Basin: The Econlockhatchee River, Little Econlockhatchee River north of University Boulevard, Mills Creek, Silcox Branch, Mills Branch, Long Branch, Hart Branch, Cowpen Branch, Green Branch, Turkey Creek, Little Creek and Fourmile Creek, including all of the wetlands contiguous to these waterways, all in Osceola, Orange and Seminole Counties. (WQC/CZM-FL)</p> <p>c. Tomoka River/Spruce Creek :The Tomoka River, Little Tomoka River, Spruce Creek, and Priest Branch, including wetlands abutting these waterways, all in Volusia and Flagler Counties. (WQC/CZM-FL)</p> <p>5. Excluded in Belle Meade area bounded by I-75 to the south and Golden Gate Canal to the west. (COE)</p> <p>6. This nationwide permit is not applicable in the Florida Keys. (COE)</p> <p>7. Excluded in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP does apply up to the 1/2 acre limit in all wetlands within Golden Gates Estates north of Alligator Alley. (COE)</p>
44. Mining Activities (10/404)	non-tidal wetlands; lower perennial streams, excluding adjacent wetlands	½ acre	All activities	If over ½ acre of Wat US will be lost	Yes ^Φ	Yes ^Φ	No	Yes	No	No	Yes	Waived	<p>9.(b) Water Quality Management Plan elements required.</p> <p>13.(b) PCN must include: explanation of how minimization & avoidance were achieved; description of all impacted waters, the measures to minimize impacts, plan to comply with the criteria of the NWP, and a reclamation plan;</p> <p>25. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.</p> <p>26. In the 100-year floodplain, permanent, above-grade fill is not authorized below headwaters or in the floodway above the headwaters.</p>	<p>1. For all activities under this NWP in Puerto Rico and the U.S. Virgin Islands, the permittee must notify the District Engineer in accordance with the "notification" general condition. The PCN must contain plans and drawings, and must also contain a brief discussion of how the proposed project will comply with Nationwide General Conditions 4, 11, 12, 21, and 26. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE)</p> <p>2. In Florida, projects qualifying for this NWP must be authorized under Part IV of Chapter 373 by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S. and receive Water Quality Certification (WQC) and Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of sovereignty submerged lands that must be obtained as part of the associated WQC or CZCC. (WQC/CZM-FL)</p> <p>3. Excluded in the following waters of the St. Johns River Water Management District:</p> <p>a. Wekiva Basin: The Wekiva River, Little Wekiva River north of S.R. 434, Rock Springs Run, Black Water Creek, Sulphur Creek or Seminole Creek, including the wetlands abutting these waterways, all in Orange, Seminole and Lake Counties. (WQC/CZM-FL)</p> <p>b. Econlockhatchee Basin: The Econlockhatchee River, Little Econlockhatchee River north of University Boulevard, Mills Creek, Silcox Branch, Mills Branch, Long Branch, Hart Branch, Cowpen Branch, Green Branch, Turkey Creek, Little Creek and Fourmile Creek, including all of the wetlands contiguous to these waterways, all in Osceola, Orange and Seminole Counties. (WQC/CZM-FL)</p> <p>c. Tomoka River/Spruce Creek:The Tomoka River, Little Tomoka River, Spruce Creek, and Priest Branch, including wetlands abutting these waterways, all in Volusia and Flagler Counties. (WQC/CZM-FL)</p> <p>4. Excluded in the Belle Meade area bounded by I-75 to the south and Golden Gate Canal to the west. (COE)</p> <p>5. Excluded in the Corkscrew Marsh Basin, south of S.R. 82, east of I-75 in Collier and Lee Counties. (COE)</p> <p>6. This nationwide permit is not applicable in the Florida Keys. (COE)</p>

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability
and
Final Regional Conditions
Amended June 2004

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordi - nation Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQ C STF	WQC MTIF	General Conditions	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions NOTE: U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received.
														7. Excluded in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP does apply up to the 1/2 acre limit in all wetlands within Golden Gates Estates north of Alligator Alley. (COE)

¹ Puerto Rico: Culebra Island; the coastal zone of La Parguera from Punta Jorobado for a distance of approximately twenty kilometers west to Cabo Rojo; Cartagena Lagoon; Tortuguero Lagoons; Mona Island; Forest Reserve Area at Piñones and Torrecilla; Las Cabezas; El Yunque; Jobos Bay; Mar Negro; Río Mameyes; Las Cucharillas Marsh; Caño Tiburones; Río Herrera/Miñi-Miñi/Mediania area; entire Municipality of Cabo Rojo; Caño Boquillas west of PR-2; Cayures Marsh in Aguada and its contiguous wetlands; the basin wetlands of Bajuras at Isabela, Camuy, and Carrizales in Arecibo; Prieta wetlands at Vega Alta; San Pedro wetlands in Dorado and Toa Alta; Cienaga Baja in Río Grande; wetlands associated with Herrera and Espiritu Santo Rivers; coastal wetlands of Santa Isabel; and all Commonwealth designated Natural Reserve areas. Also, areas along Martin Pena Channel and associated wetlands; Pinones State Forest wetlands; Torecilla Alta Pterocarpus Forest - Loiza; El Faro (Cabezas de San Juan) - Fajardo; wetlands in the Guanica State Forest; Humacao Swamp and Pterocarpus Forest; Caja de Muertos - Ponce, Jobos Bay - Salinas, Mar Negro - Salinas, Boqueron State Forest - Cabo Rojo; Dorado Pterocarpus Forest; Vieques Bioluminescent Bay; Laguna Tortugero; Caño Tiburones; Espinar Swamp (Aguada-Aguadilla); Laguna Joyuda mangroves - Cabo Rojo; Pandura and Guardarraya Special Planning Area; and Ceiba State Forest.

² U.S. Virgin Islands: St. Croix Annally, Green Cay, Isaac Bay, Cramer's Park and East Point, Sandy Point, Salt River, Teague Bay Reef, Vagthus Point, Altonna Lagoon; St. John -- All Cays, Lagoon Point Newfound Bay, Chocolate Hole, Fish Bay; and St. Thomas -- Botany Bay and Sandy Bay, Coki Cliffs, Mangrove Lagoon (in its entirety), Bovoni wetland area; All cays, Magens Bay, Mandahl Bay, Neltjeberg Bay and Stumpy Bay.

³ In accordance with General Condition No. 25, Designated Critical Resource Waters in Florida are:

- (a) Wetlands and other surface waters in Outstanding Florida Waters (OFW) (as listed in Rule 62-302.400 of the Florida Administrative Code, or aquatic preserves as defined in Chapter 258 of the Florida Statutes).
- (b) Wetlands and other surface waters in National Parks, National Wildlife Refuges, National Estuarine Research Reserves, National Wild and Scenic Rivers, National Preserves, and National Marine Sanctuaries, coral reefs, critical habitat for Federally listed threatened and endangered species, National Park Service Units, outstanding national resource waters, State natural heritage sites, State parks and green lines around State parks, and the Marjorie Harris Carr Cross Florida Greenway State Recreation and Conservation Area.
- (c) Wetlands and other surface waters in the Florida Keys.
- (d) Wetlands and other surface waters in active designated State of Florida Areas of Critical State Concern, including the Green Swamp, and the Big Cypress Swamp, and surface waters of the state (as defined in rule 62-312.030, F.A.C.) in the City of Apalachicola.

Note: In the panhandle of Florida ONLY (within the geographical limits of the Northwest Florida Water Management District—generally from mid-Jefferson County westward), surface waters of the state are limited by rule 62-312.030, F.A.C., to those waters listed below, including excavated waterbodies which connect directly or via an excavated waterbody or series of excavated water bodies to the following waters:

- Gulf of Mexico to the seaward limit of the state's territorial boundaries;
- bays, bayous, sounds, estuaries, lagoons and natural channels and natural tributaries thereto;
- rivers, streams and natural tributaries thereto, excluding those intermittent streams, tributaries or portions thereof (see rule 62-312.030(2)(d), F.A.C.);
- natural lakes, except: those where one person, other than the state, owns the entire lake to its landward extent;
- those that become dry each year and are without standing water; or
- those of no more than 10 acres in landward extent with a maximum average depth of 2 feet or less throughout the year; and
- waters within mosquito control impoundments constructed as part of a governmental mosquito control program (see rule 62-312.030(2)(g), F.A.C.).